

# Square tubes with rounded corners

## Vierkantrohre mit gerundeten Ecken

### Notes:

\* The weight of each profile is calculated by measuring it's cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70

\*\* Alloy and Length is subject to customer's request.


\*\*\* Radii less than 1mm are not stated.

**A** = Width

**A** = Height

**t** = thickness

**r** = Corner radius



Profile Code	A (mm)	t (mm)	r <sup>(***)</sup> (mm)	Area Fläche (mm <sup>2</sup> )	Weight Gewicht (Kg/m)
12-0012	20	1,5	2	108	0,29
12-0021	20	2	2	141	0,38
12-0028	23	2	2	165	0,44
12-0000	25	2	2	181	0,49
12-0008	25	2,5	2	222	0,60
12-0001	30	2	2	221	0,60
12-0010	30	3	3	316	0,85
12-0007	30	4	5,5	390	1,05
12-0002	40	2	2	301	0,81
12-0006	40	2,5	2	372	1,00
12-0009	40	2,5	4	361	0,98
12-0022	40	3	3	436	1,18
12-0016	40	4	4	562	1,52
12-0013	50	3	2	561	1,51
12-0014	50	3	3	556	1,50
12-0025	50	4	4	722	1,95
12-0011	60	3	3	676	1,83
12-0027	60	3	6	653	1,76
12-0017	60	3	8	629	1,70
12-9001	60	4	2	893	2,41
12-0026	60	4	3	888	2,40
12-0024	60	4	4	882	2,38
12-0018	60	4,3	10	872	2,35
12-0029	70	2	4	530	1,43
12-0020	70	2,5	4	661	1,79
12-0004	80	4	6	1185	3,20
12-0019	90	4	3	1368	3,69
12-0015	100	4	7	1494	4,03
12-0023	120	4	10	1770	4,78