



Asymmetrical L-Profiles (Angles)

Ungleichschenklige L-Profil (Winkelprofile)

05

Notes:

* The weight of each profile is calculated by measuring its cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70 gr/cm³.

** Alloy and Length is subject to customer's request.


*** Corner Radii 0,0118 inch or 0,3 mm.

A=Height

B=Width

t=thickness

r¹, r² = Corner radius



EXPERTS IN ALUMINIUM™

Profile Code	A (inch)	B (inch)	t (inch)	Additional charge	Area Flaeche (inch ²)	Weight Gewicht (Kg/m)
05-0806	1"	1/2"	1/16"		0,0898	0,16
05-0820	1"	5/8"	1/8"		0,1875	0,33
05-0808	1.1/2"	1"	1/8"		0,2969	0,52
05-0801	2"	1"	1/8"		0,3594	0,63
05-0809	2"	1"	1/4"		0,6875	1,20
05-0813	2"	1.1/2"	1/8"		0,4219	0,73
05-0810	2"	1.1/2"	1/4"		0,8125	1,42
05-0807	3"	1"	1/8"		0,4844	0,84
05-0811	3"	1.1/2"	1/8"		0,5469	0,95
05-0812	3"	2"	1/8"		0,6094	1,06
05-0805	3"	2"	3/16"		0,9023	1,57
05-0802	3"	2"	1/4"		1,1875	2,07
05-0819	4"	1"	1/8"		0,6094	1,07
05-0803	4"	2"	1/4"		1,4375	2,50
05-0804	4"	3"	1/4"		1,6875	2,94
05-0816	5"	2"	3/8"		2,4844	4,34
05-0817	5"	3"	1/4"		1,9375	3,39
05-0818	6"	3"	1/4"		2,1875	3,82
05-0815	6"	3"	3/8"		3,2344	5,66
05-0814	7"	3"	3/8"		3,6094	6,31