



## Square tubes with rounded corners

### *Vierkantrohre mit gerundeten Ecken*

# 12

#### Notes:

\* The weight of each profile is calculated by measuring its cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70 gr/cm<sup>3</sup>.

\*\* Alloy and Length is subject to customer's request.


\*\*\* Radii less than 1mm are not stated.

A=Width

A=Height

t=thickness

r=Corner radius



#### EXPERTS IN ALUMINIUM™

Profile Code	A (mm)	t (mm)	r <sup>(***)</sup> (mm)	Additional charge	Area Flaeche (mm <sup>2</sup> )	Weight Gewicht (Kg/m)
12-0012	20	1,5	2		108	0,29
12-0021	20	2	2		141	0,38
12-0028	23	2	2		165	0,45
12-0000	25	2	2		181	0,49
12-0008	25	2,5	2		222	0,59
12-0001	30	2	2		221	0,60
12-0010	30	3	3		316	0,85
12-0007	30	4	5,5		390	1,05
12-0030	35	2	2		261	0,71
12-0002	40	2	2		301	0,81
12-0006	40	2,5	2		372	1,01
12-0009	40	2,5	4		361	0,98
12-0022	40	3	3		436	1,18
12-0016	40	4	4		562	1,52
12-0013	50	3	2		561	1,51
12-0014	50	3	3		556	1,50
12-0025	50	4	4		722	1,96
12-0031	50	5	5		879	2,38
12-0011	60	3	3		676	1,83
12-0027	60	3	6		653	1,79
12-0017	60	3	8		629	1,76
12-9001	60	4	2		893	2,42
12-0026	60	4	3		888	2,41
12-0024	60	4	4		882	2,39
12-0018	60	4,3	10		872	2,47
12-0029	70	2	4		530	1,45
12-0020	70	2,5	4		661	1,80
12-0004	80	4	6		1185	3,22
12-0019	90	4	3		1368	3,70

Profile Code	A (mm)	t (mm)	r <sup>(***)</sup> (mm)	Additional charge	Area <i>Flaeche</i> (mm <sup>2</sup> )	Weight <i>Gewicht</i> (Kg/m)
12-0015	100	4	7		1494	4,06
12-0023	120	4	10		1770	4,88