



Rectangular tubes

Rechteckrohre

10


Notes:

* The weight of each profile is calculated by measuring it's cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70 gr/cm³.

** Alloy and Length is subject to customer's request.

*** Corner Radii 0,0118 inch or 0,3 mm (otherwise stated).

EXPERTS IN ALUMINIUM™



Profile Code	A (inch)	B (inch)	t (SWG/inch)	Additional charge	Area Flaeche (inch ²)	Weight Gewicht (Kg/m)
10-0812	1.1/2"	3/4"	1/16		0,2656	0,46
10-0801	2"	1.1/2"	10		0,8305	1,45
10-0802	2"	1"	10		0,7025	1,22
10-0803	3"	1"	10		0,9585	1,67
10-0807	3"	2"	10		1,2145	2,11
10-0808	3"	1.1/2"	10		1,0865	1,89
10-0804	4"	1"	10		1,2145	2,12
10-0805	4"	1.3/4"	10		1,4065	2,45
10-0806	4"	2"	10		1,4705	2,56
99-1439	4"	3"	1/4		3,25	4,79

SWG	(in)	(mm)	SWG	(in)	(mm)	SWG	(in)	(mm)
0	0.324	8.230	9	0.144	3.658	18	0.048	1.219
1	0.300	7.620	10	0.128	3.251	19	0.040	1.016
2	0.276	7.010	11	0.116	2.946	20	0.036	0.914
3	0.252	6.401	12	0.104	2.642	21	0.032	0.813
4	0.232	5.893	13	0.092	2.337	22	0.028	0.711
5	0.212	5.385	14	0.080	2.032	23	0.024	0.610
6	0.192	4.877	15	0.072	1.829	24	0.022	0.559
7	0.176	4.470	16	0.064	1.626	25	0.020	0.508
8	0.160	4.064	17	0.056	1.422			