



Square tubes

Vierkantrohre

09

Notes:

* The weight of each profile is calculated by measuring its cross-sectional area and multiplying it by the material density. The aluminium density is considered to be 2,70 gr/cm³.


** Alloy and Length is subject to customer's request.

*** Corner Radii 0,0118 inch or 0,3 mm (otherwise stated).

A = Width

A = Height

t = Thickness



EXPERTS IN ALUMINIUM™

Profile Code	A (inch)	t (SWG/inc)	Additional charge	Area Flaeche (inch ²)	Weight Gewicht (Kg/m)
09-0815	1.1/2"	4		1,1767	1,49
09-0814	1.1/4"	16		0,3036	0,53
09-0813	1.1/2"	16		0,3676	0,64
09-0811	1/2"	16		0,1116	0,19
09-0809	3/4"	16		0,1756	0,31
09-0808	1"	16		0,2396	0,42
09-0801	2"	10		0,9585	1,67
09-0804	3"	10		1,4705	2,56
09-0803	1.1/4"	10		0,5745	1,00
09-0805	4"	10		1,9825	3,45
09-0810	1.1/2"	10		0,7025	1,22
09-0812	2.1/2"	10		1,2145	2,12
09-0802	1"	10		0,4465	0,78
09-0807	4"	1/4		3,75	6,53
09-0806	2"	1/4		1,75	3,05

SWG	(in)	(mm)	SWG	(in)	(mm)	SWG	(in)	(mm)
0	0.324	8.230	9	0.144	3.658	18	0.048	1.219
1	0.300	7.620	10	0.128	3.251	19	0.040	1.016
2	0.276	7.010	11	0.116	2.946	20	0.036	0.914
3	0.252	6.401	12	0.104	2.642	21	0.032	0.813
4	0.232	5.893	13	0.092	2.337	22	0.028	0.711
5	0.212	5.385	14	0.080	2.032	23	0.024	0.610
6	0.192	4.877	15	0.072	1.829	24	0.022	0.559
7	0.176	4.470	16	0.064	1.626	25	0.020	0.508
8	0.160	4.064	17	0.056	1.422			